
SPRING & SUMMER



KING RULES THE METAL SHOP



AIR COMPRESSOR KC-6160V2

150 PSI max pressure 13.4 CFM @ 40 PSI 11.2 CFM @ 90 PSI 2 cylinder cast iron single stage oil lubricated pump

\$1099.

8" LOW SPEED LONG SHAFT **BUFFER** KC-899LSB


Powerful 1/2 HP motor Arbor shaft diameter: 5/8" Motor no load speed: 1,750 RPM Comes with two 8" x 1/2"

spiral sewn cloth buffing wheel



MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT_SWITCH





\$77. 150 PSI (Working) / 450 PSI (Burst)



All-Weather Flexibility

mounting hardware

(-40°C to 65°C)

Comes with wall

K-5038H 50'x3/8"

K-10014H 100'x1/4"

K-10038H | 100x3/8"

300 PSI MAXIMUM PRESSURE

\$44.99

\$54.99

\$65.99

360° swivel base

(-40°C to 65°C)

\$109.99

All-Weather Flexibility

\$10999



MAGNETIC SWITCHES



n	KMAG-110-811	110V (8-11 Amp.)
	KMAG-110-1114	110V (11-14 Amp.)
	KMAG-110-1417	110V (14-17 Amp.)
	KMAG-220-811	220V (8-11 Amp.)
	KMAG-220-1114	220V (11-14 Amp.)
a.	KMAG-220-1417	220V (14-17 Amp.)
	KMAG-220-1721	220V (17-21 Amp.)

(ING

KM-106

10" WET/DRY SHARPENER KIT

KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chieft
- blades and wood chisels

79 99



4 pc. Accessory Kit

KM-130 (Short knife jig, long knife jig, scissors jig & axe jig)



BENCH GRINDER BENCH GRINDER **STAND** KC-690

SS-150 · Made of cast iron with coolant reservoir • 32 3/4" high

\$89.99

3.5 Amp. motor
3500 RPM



8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, course 60 grit and fine 120 grit 8" x 1" white aluminum oxide



3

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

\$159.99



2 HP **METAL DUST COLLECTOR**

KC-7300C

- · Powerful 2 HP, 220V motor • 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips colection drawer · 6" inlet with Y-inlet adaptor with two
- 3" dust inlets allowing up to connect up to two metalworking machines · Comes with large paper filter
- and iron activated carbon filter



FIREPROOF 3" METAL DUST 130°C COLLECTION HOSES KIT KM-102 Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")

\$79.99

and metric readings • Waterproof to IP54 standards Two 3V Lithium batteries included \$35. 000

3" X 79" METAL BELT SANDER

2 HP

(220V)

KING

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working
- height of 36"

Hinged top cover for access to entire length of belt for larger pieces

3"x 79" SANDIN	R			
Model	Belt Size	Grit	Unit	Price
SB-379-60	3″x79″	60	1	\$19.99
SB-379-80	3″x79″	80	1	\$19.99
SB-379-120	3″x79″	120	1	\$19.99



Comes with Canadian

made 80 Grit pure

DIGITAL FRACTIONAL CALIPER


· Converts to inches (decimal and fractional)







KING FAGOR DIGITAL READOUT SYSTEMS **METAL LATHES & ACCESSORIES**



20i-T-840 (Fits KC-1440ML-6 & KC-1440ML-2) 2 AXIS with

8" x 40" scales

20i-T-1040 (Fits KC-1640ML)

\$2399.

2 AXIS with 10" x 40" scales

\$2699.

LIVE CENTERS <u>\$75.</u> \$85. KLC-2M

TAPER SHANK -MT#2

KLC-3M TAPER SHANK MT#3

7 PC. CARBIDE **CUTTER HOLDER**

• 2 positions carbide indexable Cutter Inserts (5pc.) • H.S.S. inserts (2pc.)

INCLUDED Screwdriver and 3 adjustment keys

> KM-047 3/8" Shank

\$199.

Fits Models


\$219 Fits Models

KC-0712ML, KC-1022ML KC-1236ML, 14440ML-2 14440ML-6,KC-1640GH, KC-1640ML & KC-1660GH

KM-057

5/8" Shank





ordered together with These Taper Attachments are designed to fit our 12" x 36" , 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KOCT-0012 **299**.99 Fits most lathes up to 0 to 12" swing KOCT-1015 Fits most lathes between 10" to 15" swing

KOCT-1318

Fits most lathes between **\$499.9**



Θ

OPTIONAL

CABINE⁻

\$379.⁹⁹

STAND

SS-1022

Θ

Θ

12 Amp. (110V)

WITH TAPER ATTACHMENT

KC-1236ML/KM-053/SS-1236

2 HP

(240V)

Θ

KING

RONG

BONUS CABINET STAND INCLUDED

RUNNER

KING.

VARIABLE SPEED MINI METAL LATHE KC-0712ML

3/4" spindle bore

- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

10" X 22" **BELT DRIVE METAL LATHE**

KC-1022ML

- 1" spindle bore Spindle speeds 6 (150-2400) RPM
- · Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck,
- replacement gears, 4 way tool post, steady rest, follow rest,
- 8" face plate, thread chasing dial indicator, MT#3 dead
- center, full length splash guard, tool box, and chuck key
- \$2999

12" X 36" 1.5 HP GEARHEAD METAL LATHE (220V)

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I) 30(.2 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

\$6499.

KC-1236ML/SS-1236 \$5999.

14" X 40" GEARHEAD METAL LATHE

Spindle speeds 8(70-2000 RPM)

- 34(4-56 T.P.I) 26(.4 7mm) thread cutting
- 2" Spindle Bore Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears
- quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2 \$9499.

WITH TAPER ATTACHMENT KC-1440ML-2/KM-054 \$99999.

CABINET STAND WITH FOOT BRAKE INCLUDED

4 HP Θ (600V)

16" X 40" **HIGH PRECISION "TOOL ROOM" METAL LATHE**

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I) thread cutting

Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML \$16999.

KC-1640ML/KM-055 7499

WITH TAPER ATTACHMENT

CABINET STAND WITH FOOT BRAKE INCLUDED

2





\$1249.99

8 \$699.99

\$2499.9



5100W GASOLINE GENERATOR WITH WHEEL K KCG-5100G

- Powerful 8 HP, 4 stroke air
- cooled OHV engine
- AVR system and electronic ignition
 Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC Twist lock outlet: 120V/240V/30 Amp AC

\$449.99

6500W GASOLINE GENERATOR WITH ELECTRIC **START & WHEEL KIT** KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$659.99

GENERATOR EXTENSION CORDS Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)

30

K-L1430R-25 Extension cord length 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)

\$99,99

Extension cord length 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



K-L1430-25EXT

Extension cord

length:

50 AMP. GENERATOR ADAPTOR CORD Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle K-1450P-2 Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (STW 4/C)

\$69.99 Female with light



15.000



12000W GASOLINE GENERATOR

Powerful 18 HP, 4 stroke air


and 120V/240V/30 Amp. AC

- AVR system and electronic ignition Low oil shut-off with indicator light

\$959.99


- Twist lock outlet:
- 120V/240V/30 Amp. AC

WITH ELECTRIC START KCG-12000GE



- protects the engine Two duplex outlets: 120V/20 Amp. AC







METAL CUTTING BANDSAWS

